

**نقطة لكل انش 1200 x 1200 ليزر Samsung SCX-6345N + JScribe
41 الدفع لكل ألف**

العلامة التجارية : Samsung

رمز المنتج: SCX6345N

اسم المنتج : SCX-6345N| + JScribe



نقطة لكل انش. نسخ: 1200 x تقنية الطباعة: ليزر، الحد الأقصى للوضوح: Samsung SCX-6345NJ + Jscribe. 1200
نقطة لكل انش. مسيح: المسح اللون. ارسال بالمثالة: فاكس أحادي اللون. 600 x أحادي اللون، الحد الأقصى للوضوح للنسخ: 600
A4: أقصى ISO A قياس ورق مجموعة

Printing	
Print technology *	Laser
Printing *	✗
Duplex printing *	✓
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	41 ppm
Warm-up time	35 s
Time to first page (black, normal)	8 s
Copying	
Copying *	Mono copying
Maximum copy resolution *	600 x 600 DPI
Copy speed (black, normal quality, A4)	43 cpm
Maximum number of copies	999 copies
Copier resize	25 - 400%
Scanning	
Scanning *	Colour scanning
Maximum scan resolution	4800 x 4800 DPI
Scanner type *	Flatbed scanner
Scan technology	CCD
Scan to	FTP
Greyscale levels	256
Fax	
Faxing *	Mono faxing
Modem speed	33.6 Kbit/s
Fax memory	16 MB
Fax speed dialing (max numbers)	200
Fax speed (A4)	3 sec/page
Features	
Maximum duty cycle *	200000 pages per month
Digital sender	✗
Input & output capacity	
Total output capacity *	500 sheets
Multi-Purpose tray	✓
Multi-Purpose tray input capacity	100 sheets
Auto document feeder (ADF)	✓
Auto document feeder (ADF) input capacity	50 sheets
Paper handling	
Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Card stock, Envelopes, Recycled paper, Transparencies
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Folio, Statement
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	B5, C5, C6, DL
Ports & interfaces	
Standard interfaces	USB 2.0
USB port	✓
USB 2.0 ports quantity	1
Network	
Ethernet LAN *	✓
Performance	
Internal memory *	256 MB
Sound pressure level (printing)	60 dB
Sound power level (standby)	43 dB
Mac compatibility	✓
Design	
Market positioning *	Business
Built-in display *	✓
Display	LCD
Power	
Power consumption (average operating)	900 W
Power consumption (PowerSave)	35 W
Power consumption (standby)	170 W
Operational conditions	
Operating relative humidity (H-H)	20 - 80%
Operating temperature (T-T)	10 - 32 °C
Weight & dimensions	
Weight	44.5 kg
Other features	
Dimensions (WxDxH)	637.4 x 489 x 616 mm
Network ready	✓

Input & output capacity		Other features	
Maximum input capacity	520 sheets		Windows 98/Me/NT4.0/2000/XP/2003 Linux OS (Red Hat 8-9, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2) Mac OS 8.6-9.2/10.1-10.4
		Compatible operating systems	
		Emulations	PCL6, PostScript 3
		All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Scan, No

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-APR-2025. Prints or copies of Information are only valid on the printed Publication date