

## DELL Precision 5820 Intel® Xeon® W-2135 32 جيغابايت DDR4-SDRAM 512 جيغابايت سواقة قرص ثابت Windows 10 Pro Tower محطة عمل أسود

GW9KH :رمز المنتج Precision :عائلة المنتجات DELL : العلامة التجارية

اسم المنتج : 5820

الذاكرة .W-2135 كاراز المعالج ,\text{sholl} (Intel & Xeon) ترددات المعالج: 3,7 جيغاهرتز, فئة المعالج .W-2135 كاردات المعالج: 3,7 جيغاهرتز, فئة المعالج الداكرة الطوئية نظام التخزين: سواقة قرص ثابت, قارئ البطاقات مدمج, نوع محرك الأقراص الضوئية نوع المنتج: محطة عمل. لون .Tower :تركيبة نظام التشغيل: 64-بيت. نوع الهيكل المعدني ,Vindows 10 Pro :المنتج: أسود المنتج: أسود





Processor		Performance	
Processor manufacturer *	Intel	Audio chip	Realtek ALC3234
Processor family *	Intel® Xeon®	Audio system	High Definition Audio
Processor model *	W-2135	Password protection	✓
Processor cores	6	Product type *	Workstation
Processor threads	12	Software	
Processor boost frequency	4.5 GHz		Windows 10 Pro
Processor frequency *	3.7 GHz	Operating system installed *	Windows 10 Pro 64-bit
Processor socket	LGA 2066 (Socket R4)	Operating system architecture	
Processor cache	8.25 MB	Operating system language Trial software	Multilingual Microsoft Office
System bus rate	0 GT/s		Microsoft Office
Bus type	QPI	Processor special features	
Processor lithography	14 nm	Intel 64	✓
Processor operating modes	64-bit	Enhanced Intel SpeedStep	/
Processor codename	Skylake	Technology	•
Thermal Design Power (TDP)	140 W	Embedded options available	×
Tcase	64 °C	Intel VT-x with Extended Page	/
PCI Express slots version	3.0	Tables (EPT)	•
Maximum number of PCI Express	48	Intel TSX-NI	✓
lanes	116 14 10	Idle States	✓
PCI Express configurations	1x16, 1x4, 1x8	Thermal Monitoring Technologies	✓
Number of processors installed	1 U0	Intel® AES New Instructions (Intel®	
Stepping Maximum internal memory	00	AES-NI)	•
supported by processor	512 GB	Intel® Secure Key	✓
Memory types supported by	DDR4-SDRAM	Intel® OS Guard	<b>✓</b>
processor		Intel Trusted Execution Technology	✓
Memory clock speeds supported by processor	1600,1866,2133,2400,2666 MHz	Execute Disable Bit	✓
Memory bandwidth supported by	85.3 GB/s	Intel Flex Memory Access	×
processor (max)		Intel Enhanced Halt State	✓

Processor		Processor special features	
			,
ECC supported by processor	✓	Intel Demand Based Switching Intel Software Guard Extensions	<b>✓</b>
Memory		(Intel SGX)	×
Internal memory *	32 GB	Processor package size	45 x 52.5 mm
Maximum internal memory *	256 GB	Supported instruction sets	AVX, AVX 2.0, AVX-512, SSE4.2
Internal memory type  Memory layout (clots y size)	DDR4-SDRAM	Processor code	SR3LN
Memory layout (slots x size) Memory slots	2 x 16 GB 8x DIMM	Scalability	15
Memory clock speed	2666 MHz	Physical Address Extension (PAE)	<b>✓</b>
Memory channels	Quad-channel	Physical Address Extension (PAE)	46 bit
Storage		CPU configuration (max) Intel Virtualization Technology for	1
Total storage capacity *	512 GB	Directed I/O (VT-d)	<b>✓</b>
Storage media *	SSD	Intel Identity Protection Technology	1.00
Optical drive type *	DVD-RW	version	
Number of storage drives installed	1	Intel Secure Key Technology version Intel Virtualization Technology (VT-	
Total SSDs capacity	512 GB	x)	✓
Number of SSDs installed	1	Intel TSX-NI version	1.00
SSD capacity	512 GB	Processor ARK ID	126709
SSD interface SSD form factor	PCI Express M.2	Intel® Turbo Boost Technology	2.0
Card reader integrated	IVI. Z  ✓	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Compatible memory cards	SD	Intel® Identity Protection	,
	35	Technology (Intel® IPT)	<b>/</b>
Graphics		Conflict-Free processor	<b>✓</b>
Discrete graphics card *	×	Power	
Discrete graphics card model *	Not available	Power supply input voltage	100 - 240 V
Network		Power supply input frequency	50 - 60 Hz
Ethernet LAN *	<b>/</b>	Operational conditions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating temperature (T-T)	5 - 35 °C
Cabling technology	10/100/1000Base-T(X)	Storage temperature (T-T)	-40 - 65 °C
Wi-Fi *	X	Operating relative humidity (H-H)	8 - 85%
Ports & interfaces		Storage relative humidity (H-H)	5 - 95%
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	8	Weight & dimensions	
ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C		Width *	176.5 mm
ports quantity *	2	Depth *	518.3 mm
DVI port	×	Height *	417.9 mm
PS/2 ports quantity	2	Weight *	15.9 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Microphone in	<b>✓</b>	Mouse included on selected markets only	<b>✓</b>
Headphone outputs	1	Keyboard included on selected	_
Line-out	<b>✓</b>	markets only	<b>*</b>
Line-in	•	Cables included	AC
Serial ports quantity	1	Manual	✓
On/off button	<b>/</b>	Power cord included	<b>✓</b>
Expansion slots		Display	
PCI-X slots	1	Display included *	×
Design		Other features	
Chassis type *	Tower	Optical drives quantity	1
Placement supported	Vertical	opacar arrest qualities	-
Product colour *	Black		
Performance			
Market positioning	Business		
Motherboard chipset	Intel® C422		
	IIICI © C422		



5397184211533

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.