



## Lenovo ThinkCentre A70z Intel® Core™ 2 Duo 48,3 cm (19") 1440 x 900 px 4 GB DDR2-SDRAM 320 GB Intel® GMA X4500 Windows 7 Professional Černá

**Značka :** Lenovo

**Product family:** ThinkCentre

**Kód produktu:** VDAACIX

**Název produktu :** ThinkCentre A70z

Lenovo ThinkCentre A70z. Úhlopříčka displeje: 48,3 cm (19"), Rozlišení displeje: 1440 x 900 px. Typ procesoru: Intel® Core™ 2 Duo, Takt procesoru: 2,93 GHz. Vnitřní paměť: 4 GB, Typ vnitřní paměti: DDR2-SDRAM. Celková kapacita úložiště: 320 GB. Diskrétní model grafického adaptéru: Intel® GMA X4500. Integrovaný fotoaparát. Typ optické jednotky: DVD-RW. Poskytovaný operační systém: Windows 7 Professional. Barva: Černá

| Display                        |                    | Ports & interfaces                |   |        |
|--------------------------------|--------------------|-----------------------------------|---|--------|
| Display diagonal *             | 48.3 cm (19")      | Serial ports quantity             | 1   |        |
| Display resolution *           | 1440 x 900 pixels  | Design                            |   |        |
| HD type *                      | Not supported      | Product colour *                  | Black   |        |
| Native aspect ratio            | 16:10              | Performance                       |   |        |
| Processor                      |                    | Motherboard chipset               | Intel® G41 Express  |        |
| Processor manufacturer *       | Intel              | Software                          |   |        |
| Processor family *             | Intel® Core™ 2 Duo | Operating system installed *      | Windows 7 Professional  |        |
| Processor cores                | 2                  | Trial software                    | Microsoft Office Ready 2007 Norton Internet Security  |        |
| Processor frequency *          | 2.93 GHz           | Bundled software                  | Adobe Acrobat Reader Adobe Flash Player Creator Business Edition Intervideo WinDVD Online Data Backup Product Recovery PC-Doctor Skype Sun JRE ThinkVantage Message Center Plus ThinkVantage Productivity Center ThinkVantage Power Manager ThinkVantage System Update ThinkVantage Toolbox |        |
| Processor cache                | 3 MB               |                                   |   |        |
| Processor cache type           | L2                 |                                   |   |        |
| Processor front side bus       | 1066 MHz           |                                   |   |        |
| Memory                         |                    |                                   |   |        |
| Internal memory *              | 4 GB               | Power                             |   |        |
| Internal memory type           | DDR2-SDRAM         |                                   |   |        |
| Maximum internal memory *      | 4 GB               |                                   |   |        |
| Memory slots                   | 2                  |                                   |   |        |
| Memory clock speed             | 800 MHz            |                                   |   |        |
| Memory layout (slots x size)   | 2 x 2 GB           | Weight & dimensions               |   |        |
| Storage                        |                    | Power consumption (typical)       | 130 W   |        |
| Total storage capacity *       | 320 GB             | Width (with stand)                |   | 356 mm |
| HDD speed                      | 7200 RPM           | Depth (with stand)                |   | 73 mm  |
| HDD interface                  | SATA               | Height (with stand)               |   | 472 mm |
| Optical drive type *           | DVD-RW             | Weight (with stand)               |   | 7.2 kg |
| Card reader integrated         | ✗                  | Operational conditions            |   |        |
| Graphics                       |                    | Operating temperature (T-T)       | 10 - 35 °C  |        |
| Discrete graphics card model * | Intel® GMA X4500   | Storage temperature (T-T)         | -20 - 50 °C   |        |
| On-board graphics card *       | ✓                  | Operating relative humidity (H-H) | 10 - 80%  |        |
| Audio                          |                    | Packaging content                 |   |        |
| Built-in microphone            | ✓                  | Mouse included                    | ✓   |        |
| Camera                         |                    | Keyboard included                 | ✓   |        |
| Built-in camera *              | ✓                  | Remote control included           | ✗   |        |
| Network                        |                    | Other features                    |   |        |
| Wi-Fi *                        | ✗                  | Graphics card family              | Intel   |        |
| Ethernet LAN *                 | ✓                  | TV tuner integrated               | ✗   |        |
| Ethernet LAN data rates        | 10,100,1000 Mbit/s | Chassis type                      | All-in-One  |        |
| Ports & interfaces             |                    | Display                           | LCD   |        |
| Ethernet LAN (RJ-45) ports     | 1                  | Display included                  | ✓   |        |

| Ports & interfaces         |   | Other features                                   |                  |
|----------------------------|---|--|------------------|
| USB 2.0 ports quantity *   | 6 | Drive device, transfer rate                      | 300 MB/s         |
| VGA (D-Sub) ports quantity | 1 | Floppy drive installed                           | ✗                |
| DVI port                   | ✗ | Networking features                              | Gigabit Ethernet |
| Headphone outputs          | 1 | Non-operating relative humidity (non-condensing) | 10 - 90%         |
| Microphone in              | ✓ | Speakers   | 2                |
|                            |   | Wake-on-LAN ready                                | ✓                |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-APR-2025. Prints or copies of Information are only valid on the printed Publication date