

Lenovo ThinkCentre M70t Intel® Core™ i5 i5-13400 8 GB DDR4-SDRAM 512 GB SSD Tower PC Schwarz

Marke : Lenovo

Produktfamilie: ThinkCentre Artik

e Artikel-Code: 12DR0021GP

Produktname : M70t

Lenovo ThinkCentre M70t. Prozessorfamilie: Intel® Core™ i5, Prozessor: i5-13400. Speicherkapazität: 8 GB, Interner Speichertyp: DDR4-SDRAM, Speichertaktfrequenz: 3200 MHz. Gesamtspeicherkapazität: 512 GB, Speichermedien: SSD. Eingebautes Grafikkartenmodell: Intel UHD Graphics 730. Stromversorgung: 260 W. Gehäusetyp: Tower. Produkttyp: PC. Gewicht: 5,9 kg. Produktfarbe: Schwarz





| Processor | | Ports & interfaces | |
|--|---|--|--|
| Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor boost frequency Performance cores Efficient cores Performance-core Max Turbo | Intel Intel® Core™ i5 13th gen Intel® Core™ i5 i5-13400 10 16 4.6 GHz 6 4 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version Ethernet LAN (RJ-45) ports Microphone in Line-out | 2 1 2.1 2 1.4a 1 * |
| Frequency | 4.6 GHz | Combo headphone/mic port Design | v |
| Efficient-core Max Turbo Frequency Performance-core base frequency Efficient-core base frequency Processor cache Processor cache type Number of processors installed Processor base power Maximum turbo power | 3.3 GHz 2.5 GHz 1.8 GHz 20 MB Smart Cache 1 65 W 148 W | Chassis type * Colour name Volume Placement supported Cable lock slot Cable lock slot type Product colour * | Tower Black 13.6 L Vertical ✓ Kensington Black |
| Memory Internal memory * Maximum internal memory * Internal memory type Memory layout (slots x size) Memory slots Memory clock speed Memory channels | 8 GB 128 GB DDR4-SDRAM 1 x 8 GB 4x DIMM 3200 MHz Dual-channel | Performance Motherboard chipset Audio chip Audio system Built-in speaker(s) Number of speakers Password protection Password protection type Trusted Platform Module (TPM) | Intel Q670 Realtek ALC897Q-CG High Definition Audio ✓ 1 ✓ HDD, Power on, Supervisor ✓ |

_ _ _ _ _ _ _

| Storage Performance Total storage capacity* 512 GB Trusted Platform Module (TPM) version 2.0 Storage media* SSD Product type * Pc Optical drive type* X Product type * PC Total SSDs capacity 512 GB Software Software | |
|--|--|
| Storage media * SSD version 2.0 Optical drive type * × Product type * PC | |
| Optical drive type * × Product type * PC | |
| optical drive type * X | |
| Total SSDs capacity S12 GB Software | |
| Number of SSDs installed 1 Operating system installed * | |
| Number of SSDs installed 1 Operating system installed * × SSD capacity 512 GB • • | |
| SSD interface PCI Express 4.0 Power | |
| NVMe Power supply * 260 W | |
| SSD form factor M.2 Power supply input voltage 100 - 240 V | |
| Card reader integrated X Power supply input frequency 50 - 60 Hz | |
| Graphics Operational conditions | |
| Operating temperature (T-T) 5 - 35 °C | |
| Discrete graphics card * × Storage temperature (T-T) -40 - 60 °C | |
| On-board graphics card * Operating relative humidity (H-H) 20 - 80% | |
| Discrete graphics card model * Not available Storage relative humidity (H-H) 10 - 90% | |
| On-board GPU manufacturer Intel Operating altitude 0 - 3048 m | |
| On-board graphics card family Intel® UHD Graphics Non-operating altitude 0 - 12192 m On-board graphics card model * Intel UHD Graphics 730 Output | |
| Certificates | |
| Network Compliance certificates RoHS | |
| Ethernet LAN *✓ErP Lot 3 RoHS compliant TCOEthernet LAN data rates100,1000 Mbit/sCertificationCertified 9.0 TÜV Rheinland Low Noise TÜV Rheinland Ultra Low Noise MIL-STD-810HCabling technology10/100/1000Base-T(X)Noise MIL-STD-810H | |
| Wi-Fi * × Sustainability | |
| Bluetooth X Sustainability certificates TCO | |
| Ports & interfaces Weight & dimensions | |
| USB 2.0 ports quantity * 4 Width * 145 mm | |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A 2 Depth * 296 mm | |
| Height * 346 mm | |
| ports quantity * 1 Weight * 5.9 kg | |
| Packaging content | |
| Mouse included | |
| | |

Keyboard included

Display included *

Display

Keyboard connectivity

<

×

Wired





197532630413

0197532630413

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.