Epson EB-450Wi 2500 ANSI Lumen LCD WXGA (1280x800) Grau, Weiß

Marke : Epson

Artikel-Code: V11H317040ET

Produktname : Epson EB-450Wi LW easiteach Software Bundle

Schul- und Bildungsbereichs Gerät

Epson EB-450Wi. Projektorhelligkeit: 2500 ANSI Lumen, Projektion Technologie: LCD, native Auflösung des Projektors: WXGA (1280x800). Light source type: Lampe, Service life of light source: 2500 h, Service life of light source (economic mode): 3500 h. Fokus: Manuell, Brennweitenbereich: 0 - 4.68 mm. Serielle Schnittstelle: RS-232. Geräuschpegel: 35 dB, Ursprungsland: China







Projector		Multimedia	
Screen size compatibility *	1498.6 - 2463.8 mm (59 - 97")	Built-in speaker(s) *	<
Projector brightness *	2500 ANSI lumens	RMS rated power	10 W
Projection technology * Projector native resolution * Contrast ratio (typical) *	LCD WXGA (1280x800) 2000:1	Number of built-in speakers	1
		Design	
Keystone correction, horizontal	5°	Product colour *	Grey, White
Keystone correction, vertical	5°	Power	
Light source		Power consumption (typical) *	338 W
Light source type *	Lamp	Power consumption (standby) *	9 W
Service life of light source *	2500 h	Operational conditions	
Service life of light source (economic mode)	3500 h	Operating temperature (T-T)	0 - 35 °C
Lamp type	UHE	Weight & dimensions	
Lamp power	230 W	Weight *	5.8 kg
Lens system		Package width	580 mm
Focus *	Manual	Package depth	800 mm
Focal length range	0 - 4.68 mm	Package height	340 mm
Ports & interfaces		Package weight	22.6 kg
S-Video inputs quantity	1	Packaging content	
USB 2.0 ports quantity	1	Remote control included *	×
Headphone outputs	2	Logistics data	
Serial interface type *	RS-232	Quantity per pack	1 pc(s)
VGA (D-Sub) ports quantity *	2	Products per pallet	10 pc(s)
Component video (YPbPr/YCbCr) in	* 2	Pallet gross length	120 cm
DVI port *	×	Pallet gross width	80 cm
Network		Pallet gross height	185 cm
Ethernet LAN *	1	Products per pallet layer	2 pc(s)
	۲	Products per pallet layer (UK)	2 pc(s)

Network		Logistics data	
Ethernet LAN (RJ-45) ports Wi-Fi *	1 ×	Products per pallet (UK) Pallet length (UK)	10 pc(s) 120 cm
Features	^	Pallet width (UK)	100 cm
Noise level * Country of origin	35 dB China	Pallet height (UK) Other features	185 cm
	China	Aspect ratio Dimensions (WxDxH) Power requirements	16:10 369 x 481 x 115 mm 100 - 240V, 50/60Hz

Connectivity technology

RS-232 ports

Wired

1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.