

DELL PowerEdge T360 server 2 TB Tower (4.5U) Intel Xeon E E-2478 2,8 GHz 16 GB DDR5-SDRAM 600 W

Brand : DELL Product family: PowerEdge Product code: T360-FY25Q3

Product name: T360

DELL PowerEdge T360. Processor family: Intel Xeon E, Processor frequency: 2,8 GHz, Processor model: E-2478. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 2 TB, HDD size: 3.5", HDD interface: SATA III. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 600 W, Redundant power supply (RPS) support. Chassis type: Tower (4.5U)





Processor		Design	
Processor manufacturer *	Intel	Product colour	Black
Processor family *	Intel Xeon E	Performance	
Processor model *	E-2478	Remote administration	iDRAC9. Basic 16G
Processor frequency *	2.8 GHz	Software	
Processor boost frequency	5.2 GHz	Software	
Performance cores	8	Operating system installed *	×
Processor cores	8		Canonical Ubuntu Server LTS
Processor cache	24 MB	Compatible operating systems *	Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux
Number of processors installed	1	Compatible operating systems	SUSE Linux Enterprise Server
Thermal Design Power (TDP)	80 W		VMware ESXi
Processor threads	16	Power	
Memory types supported by processor	DDR5-SDRAM	Redundant power supply (RPS) support *	✓
Memory clock speeds supported by processor	4800 MHz	Power supply *	600 W
Memory		Number of redundant power supplies supported	2
Internal memory * Internal memory type *	16 GB DDR5-SDRAM	Number of redundant power supplies installed	2
Buffered memory type	Unregistered (unbuffered)	Power supply input voltage	125 V
Memory slots	4x DIMM	Power cable length	3 m
ECC	✓	Power cable connector 1	C13 coupler
Memory data transfer rate	4800 MT/s	Power cable current	15 A
Maximum internal memory *	128 GB	Operational conditions	
Storage		Storage temperature (T-T)	-40 - 65 °C
Total storage capacity *	2 TB	Storage relative humidity (H-H)	5 - 95%
Number of HDDs installed	1	Operating altitude	0 - 2048 m
HDD capacity	2 TB	Non-operating altitude	0 - 12000 m
HDD interface	SATA III		

Storage		Carbon footprint	
HDD speed	7200 RPM	Total carbon footprint (kg of CO2e)	1409
HDD size	3.5"	Total carbon emissions, standard	1213
RAID support *	✓	deviation (kg of CO2e)	
Supported RAID controllers	PERC H755	Carbon emissions, manufacturing (kg of CO2e)	296
Hot-Plug support	✓	Carbon emissions, logistics (kg of	155
Optical drive type *	X	CO2e)	
Internal drive bays	8	Carbon emissions, energy usage (kg of CO2e)	930
Network		Carbon emissions, end-of-life (kg of	28
LAN controller	Broadcom 5720, Intel I210, Intel®	CO2e)	
Ethernet LAN	X722 ✓	Total carbon emissions, w/o use phase (kg of CO2e)	479
Cabling technology	10/100/1000Base-T(X)	PAIA version	1.4.0, 2024
Ethernet interface type	Gigabit Ethernet	Weight & dimensions	
Ports & interfaces		Width	175 mm
Ethernet LAN (RJ-45) ports *	2	Depth	581.1 mm
USB 2.0 ports quantity	5	Height	369.5 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Technical details	
ports quantity VGA (D-Sub) ports quantity	1	Supported storage drives form	3.5"
Serial ports quantity	1	factor (internal)	
octial ports qualitity			
	1	Other features	
Expansion slots		Other features Data transfer rate	6 Gbit/s
Expansion slots PCI Express x4 slots	2		6 Gbit/s 512n
•		Data transfer rate	, -





884116466369

0884116466369

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.