## Samsung SCX-6345NJ + JScribe Laser A4 1200 x 1200 DPI 41 lk/min

Brand : Samsung Product code: SCX6345NJ

Product name : SCX-6345NJ + JScribe

Samsung SCX-6345NJ + JScribe. Printimistehnoloogia: Laser, Maksimaalne resolutsioon: 1200 x 1200 DPI. Kopeerimine: Mono kopeerimine, Maksimaalne kopeerimisresolutsioon: 600 x 600 DPI. Skaneerimine: Värviskaneerimine. Faksimine: Mono faksimine. Maksimaalne ISO A-seeria paberi suurus: A4



Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	x	Paper tray media types *	Bond paper, Card stock, Envelopes, Recycled paper, Transparencies
Duplex printing *  Maximum resolution *  Print speed (black, normal quality, A4/US Letter) *  Warm-up time  Time to first page (black, normal)	1200 x 1200 DPI 41 ppm 35 s 8 s	ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes	A4, A5, A6 B5 Folio, Statement B5 B5, C5, C6, DL
	0.3	Ports & interfaces	
Copying *  Maximum copy resolution *  Copy speed (black, normal quality, A4)	Mono copying 600 x 600 DPI 43 cpm	Standard interfaces USB port USB 2.0 ports quantity	USB 2.0 ✓ 1
Maximum number of copies Copier resize	999 copies 25 - 400%		
		Ethernet LAN *	✓
Scanning		Performance	
Scanning *  Maximum scan resolution  Scanner type *  Scan technology	Colour scanning 4800 x 4800 DPI Flatbed scanner CCD	Internal memory * Sound pressure level (printing) Sound power level (standby) Mac compatibility	256 MB 60 dB 43 dB ✓
Scan to	FTP	Design	
Greyscale levels	256	Market positioning *	Business
Faxing *	Mono faxing	Built-in display *	<b>✓</b>
Modem speed	33.6 Kbit/s	Display	LCD
Fax memory	16 MB	Power	
Fax speed dialing (max numbers)	200	Power consumption (average operating)	900 W
Fax speed (A4)  Features	3 sec/page	Power consumption (PowerSave) Power consumption (standby)	35 W 170 W
Maximum duty cycle *	200000 pages per month	Operational conditions	
Digital sender	×	Operating relative humidity (H-H)	20 - 80%
Input & output capacity		Operating temperature (T-T)	10 - 32 °C
Total output capacity *	500 sheets	Weight & dimensions	
Multi-Purpose tray	<b>✓</b>	Weight	44.5 kg
Multi-Purpose tray input capacity	100 sheets	Other features	
Auto document feeder (ADF)	✓	Dimensions (WxDxH)	637.4 x 489 x 616 mm
Auto document feeder (ADF) input capacity	50 sheets	Network ready	<b>/</b>

Input & output capacity		Other features	
Maximum input capacity	520 sheets	Compatible operating systems	Windows 98/Me/NT4.0/2000/XP/2003 Linux OS (Red Hat 8-9, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2) Mac OS 8.6-9.2/10.1-10.4
		Emulations	PCL6, PostScript 3
		All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Scan, No

