

## Lenovo ThinkCentre A70z Intel® Core™2 Duo 48,3 cm (19") 1440 x 900 pikslit 4 GB DDR2-SDRAM 320 GB Intel® GMA X4500 Windows 7 Professional Must

Brand : Lenovo Product family: ThinkCentre Product code: VDAACIX

**Product name:** ThinkCentre

A70z

Lenovo ThinkCentre A70z. Ekraani diagonaal: 48,3 cm (19"), Ekraani resolutsioon: 1440 x 900 pikslit. Protsessori perekond: Intel® Core™2 Duo, Protsessori sagedus: 2,93 GHz. Sisemälu: 4 GB, Sisemälu tüüp: DDR2-SDRAM. Salvestusmaht kokku: 320 GB. Eraldiseisva graafika adapteri mudel: Intel® GMA X4500. Sisseehitatud kaamera. Optilise seadme tüüp: DVD-RW. Installitud operatsioonisüsteem: Windows 7 Professional. Toote värv: Must

Display		Ports & interfaces	
Display diagonal *	48.3 cm (19") 1440 x 900 pixels Not supported 16:10	Serial ports quantity	1
Display resolution *		Design	
HD type * Native aspect ratio		Product colour *	Black
	10.10	Performance	
Processor Processor manufacturer *	Intel	Motherboard chipset	Intel® G41 Express
	Intel® Core™2 Duo	Software	
	2	Operating system installed *	Windows 7 Professional
Processor frequency *	2.93 GHz	Trial software	Microsoft Office Ready 2007 Norton
Processor cache	3 MB		Internet Security Adobe Acrobat Reader Adobe Flash
Processor cache type Processor front side bus	L2 1066 MHz		Player Creator Business Edition
Memory	2000 1		Intervideo WinDVD Online Data Backup Product Recovery PC-Doctor Skype Sun JRE ThinkVantage Message Center Plus ThinkVantage Productivity Center ThinkVantage Power Manager ThinkVantage System Update ThinkVantage
Internal memory *	4 GB	Bundled software	
Internal memory type	DDR2-SDRAM		
Maximum internal memory *	4 GB		
Memory slots	2		Toolbox
Memory clock speed  Memory layout (slots x size)	800 MHz 2 x 2 GB	Power	
	2 X 2 GB	Power consumption (typical)	130 W
Storage Total storage capacity *	220 CB	Weight & dimensions	
Total storage capacity * HDD speed	320 GB 7200 RPM	Width (with stand)	356 mm
HDD interface	SATA	Depth (with stand)	73 mm
Optical drive type *	DVD-RW	Height (with stand)	472 mm
Card reader integrated	x	Weight (with stand)	7.2 kg
Graphics		Operational conditions	10 25 00
Discrete graphics card model *	Intel® GMA X4500	Operating temperature (T-T) Storage temperature (T-T)	10 - 35 °C -20 - 50 °C
On-board graphics card *	✓	Operating relative humidity (H-H)	10 - 80%
Audio		Packaging content	
Built-in microphone	✓	Mouse included	<b>✓</b>
Camera		Keyboard included	<b>✓</b>
Built-in camera *	<b>✓</b>	Remote control included	×
Network		Other features	
Wi-Fi *	×	Graphics card family	Intel
Ethernet LAN *	<b>^</b>	TV tuner integrated	×
Ethernet LAN data rates	10,100,1000 Mbit/s	Chassis type	All-in-One
Ports & interfaces		Display LCD Display included   ✓	
Ethernet LAN (RJ-45) ports	1		<b>V</b>

Ports & interfaces		Other features	
USB 2.0 ports quantity *	6	Drive device, transfer rate	300 MB/s
VGA (D-Sub) ports quantity	1	Floppy drive installed	×
DVI port	×	Networking features	Gigabit Ethernet
Headphone outputs	1	Non-operating relative humidity	10 - 90%
Microphone in	✓	(non-condensing)	
·		Speakers	2
		Wake-on-LAN ready	✓

