Epson EB-450Wi 2500 ANSI luumenit LCD WXGA (1280x800) Hall, Valge

Brand: Epson **Product code**: V11H317040ET

Product name: EB-450Wi

Epson EB-450Wi. Projektori heledus: 2500 ANSI luumenit, Projektsioonitehnoloogia: LCD, Projektori loomulik resolutsioon: WXGA (1280x800). Valgusallika tüüp: Lamp, Valgusallika kasutusiga: 2500 h, Valgusallika kasutusiga (säästurežiim): 3500 h. Fookus: Manuaal, Fookuskauguse ulatus: 0 - 4.68 mm. Jadaliidese tüüp: RS-232. Müratase: 35 dB, Päritoluriik: Hiina





Projector		Multimedia	
Screen size compatibility * Projector brightness * Projection technology *	1498.6 - 2463.8 mm (59 - 97") 2500 ANSI lumens LCD	Built-in speaker(s) * RMS rated power Number of built-in speakers	10 W
Projector native resolution * Contrast ratio (typical) * Keystone correction, horizontal Keystone correction, vertical	WXGA (1280x800) 2000:1 5° 5°	Design Product colour * Power	Grey, White
Light source Light source type *	Lamp	Power consumption (typical) * Power consumption (standby) *	338 W 9 W
Service life of light source * Service life of light source	2500 h 3500 h	Operational conditions Operating temperature (T-T)	0 - 35 °C
(economic mode) Lamp type Lamp power	UHE 230 W	Weight & dimensions Weight *	5.8 kg
Lens system Focus * Focal length range	Manual 0 - 4.68 mm	Package width Package depth Package height	580 mm 800 mm 340 mm
Ports & interfaces		Package weight Packaging content	22.6 kg
S-Video inputs quantity USB 2.0 ports quantity Headphone outputs	1 1 2	Remote control included * Logistics data	×
Serial interface type * VGA (D-Sub) ports quantity * Component video (YPbPr/YCbCr) in DVI port *	RS-232 2	Quantity per pack Products per pallet Pallet gross length Pallet gross width	1 pc(s) 10 pc(s) 120 cm 80 cm
Network Ethernet LAN *	✓	Pallet gross height Products per pallet layer Products per pallet layer (UK)	185 cm 2 pc(s) 2 pc(s)

Network		Logistics data	
Ethernet LAN (RJ-45) ports	1	Products per pallet (UK)	10 pc(s)
Wi-Fi *	×	Pallet length (UK)	120 cm
Features		Pallet width (UK)	100 cm
Noise level *	35 dB	Pallet height (UK)	185 cm
Country of origin	China	Other features	
		Aspect ratio	16:10
		Dimensions (WxDxH)	369 x 481 x 115 mm
		Power requirements	100 - 240V, 50/60Hz
		Connectivity technology	Wired
		RS-232 ports	1

