



Senseo Original HD6554/81R1 Annoskähvilaite

Tuotemerkki : Senseo

Tuotekoodi: HD6554/81R1

Tuotteen nimi : Original HD6554/81R1 Annoskähvilaite

- Coffee Boost -tekniikka
- Crema Plus -tekniikka
- Intensity Select -vahvuusasetus
- Tuotetta on testattu yli 10 000 kertaa
- Valikoima sekoituksia ja makuja
- 1 tai 2 kuppia samanaikaisesti
- Automaattinen virrankatkaisu
- Kahden vuoden takuu
- Sertifioidusti kunnostettu – tiedät ostavasi laatua

Senseo Original Annoskähvilaite

Senseo Original HD6554/81R1 Annoskähvilaite:

Crema plus, coffee boost ja intensity select -vahvuusasetus

Tutustu täydelliseen kahvikokemukseen

Coffee Boost -tekniikka varmistaa kahvin täyteläisen maun jakamalla veden tasaisesti kahvityynyyn 45 vesiaukon kautta. Crema Plus -tekniikka kruunaa kahvikupillisen sametinpehmeällä vaahtokerroksella. Voit valmistaa erikoisvahvan pienen kahvin painamalla suodatuspainiketta kaksi kertaa. Senseo Original HD6554/81R1 Annoskähvilaite. Tuotetyyppi: Kapselikeitin, Vesisäiliön tilavuus: 0,7 L, Kahvin syöttö: Kahvinappi, Haudutetun kahvin säiliö: Kuppi, Vesisuihkujen määrä: 2. Teho: 1450 W. Tuotteen väri: Sininen



Performance		Ergonomics	
Two cups at once	✓	Control type *	Buttons
Reservoir for brewed coffee *	Cup	Built-in display *	✗
Maximum operating pressure	1 bar	Product colour *	Blue
Built-in grinder *	✗	Removable drip tray	✓
Adjustable coffee strength *	✓	Standby function	✓
Number of spouts	2	Cord length	0.8 m
Number of simultaneous brewing cups	2	Power	
Hot water system *	✗	Power *	1450 W
Heating system	Boiler	AC input voltage	220 - 240 V
Appliance placement *	Countertop	AC input frequency	50 Hz
Product type *	Pod coffee machine	Power consumption (standby)	0.26 W
Water tank capacity *	0.7 L	Auto power off	✓
Coffee input type *	Coffee pod	Auto power off after (max)	30 min
Brand compatibility	Senseo	Weight & dimensions	
Dishwasher-proof parts	✓	Width	213 mm
Brewing time (1 cup)	30 s	Depth	315 mm
Brewing time (2 cups)	60 s	Height	330 mm
Number of water boilers	1	Weight	1.7 kg
Refurbished	✓	Packaging data	
Country of origin	Poland, Romania	Package width	230 mm
Cooking functions & programs		Package depth	392 mm
Coffee making	✓	Package height	365 mm
		Package weight	2.3 kg

Ergonomics

Housing material

Plastic

Brand-specific features

Brand specific technologies

Coffee Boost Technology, Crema Plus Technology



8710103956532

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2025. Prints or copies of Information are only valid on the printed Publication date