Epson EB-450Wi 2500 ANSI lumenia LCD WXGA (1280x800) Harmaa, Valkoinen

Tuotemerkki : Epson Tuotekoodi: V11H317040ET

Tuotteen nimi: EB-450Wi

Epson EB-450Wi. Projektorin kirkkaus: 2500 ANSI lumenia, Projektioteknologia: LCD, Projektorin oletusresoluutio: WXGA (1280x800). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 2500 h, Valonlähteen käyttöikä (säästötila): 3500 h. Tarkennus: Ohje, Polttovälialue: 0 - 4.68 mm. Sarjaliitännän tyyppi: RS-232. Melutaso: 35 dB, Alkuperämaa: Kiina





Projector		Multimedia	
Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Keystone correction, horizontal	1498.6 - 2463.8 mm (59 - 97") 2500 ANSI lumens LCD WXGA (1280x800) 2000:1	Built-in speaker(s) * RMS rated power Number of built-in speakers	10 W
		Design	
		Product colour *	Grey, White
Keystone correction, vertical	5°	Power	
Light source		Power consumption (typical) *	338 W
Light source type *	Lamp	Power consumption (standby) *	9 W
Service life of light source *	2500 h	Operational conditions	
Service life of light source (economic mode)	3500 h	Operating temperature (T-T)	0 - 35 °C
Lamp type	UHE	Weight & dimensions	
Lamp power	230 W	Weight *	5.8 kg
Lens system		Package width	580 mm
Focus * Focal length range	Manual 0 - 4.68 mm	Package depth Package height Package weight	800 mm 340 mm 22.6 kg
Ports & interfaces		Packaging content	
S-Video inputs quantity USB 2.0 ports quantity	1 1	Remote control included *	×
Headphone outputs	2	Logistics data	
Serial interface type *	RS-232	Quantity per pack	1 pc(s)
VGA (D-Sub) ports quantity *	2	Products per pallet	10 pc(s)
Component video (YPbPr/YCbCr) in *	2	Pallet gross length	120 cm
DVI port *	×	Pallet gross width	80 cm
Network		Pallet gross height	185 cm
Ethernet LAN *	✓	Products per pallet layer Products per pallet layer (UK)	2 pc(s) 2 pc(s)

Network		Logistics data	
Ethernet LAN (RJ-45) ports	1	Products per pallet (UK)	10 pc(s)
Wi-Fi *	×	Pallet length (UK)	120 cm
Features		Pallet width (UK)	100 cm
Noise level *	35 dB	Pallet height (UK)	185 cm
Country of origin	China	Other features	
		Aspect ratio	16:10
		Dimensions (WxDxH)	369 x 481 x 115 mm
		Power requirements	100 - 240V, 50/60Hz
		Connectivity technology	Wired
		RS-232 ports	1

