

PHILIPS

## Philips Hue 929002269201 pametna rasvjeta Pametna svjetiljka - traka Bluetooth/Zigbee 11,5 W

Brend : Philips

Obitelj proizvoda: Hue

Kod proizvoda: 929002269201

Ime proizvoda :  
929002269201

Philips Hue 929002269201. Tip: Pametna svjetiljka - traka, Sučelje: Bluetooth/Zigbee, Boja proizvoda: Višebojno. Podržani Mobilni operativni sustavi: Android, iOS. Razred energetske učinkovitosti: G, Potrošnja energije u 1000 sati: 12,4 kWh, Vrsta napajanja: AC. Širina: 15 mm, Dubina: 1000 mm, Visina: 5,5 mm. Tip ambalaže: Kutija, Širina ambalaže: 8,8 mm, Dubina ambalaže: 5,5 mm



Features		Power	
Wi-Fi standards	Not supported	Power consumption (standby)	0.5 W
Type *	Smart strip light	Input voltage	24 DC
Bulb type	Integrated LED	AC input voltage	220 - 240 V
Interface *	Bluetooth/Zigbee	Weight & dimensions	
Product colour *	Multicolour	Width	15 mm
Housing material	Silicone	Depth	1000 mm
Fitting/cap type	Non-changeable bulb(s)	Height	5.5 mm
Colour changing	✓	Length	1000 mm
Light colour	Variable	Weight	62 g
Number of colours	16000000 colours	Lightstrip length	99.8 cm
Colour temperature (min)	2000 K	Lightstrip width	1.45 cm
Colour temperature (max)	6500 K	Packaging data	
Luminous flux	1030 lm	Package type	Box
Bulb power	11.5 W	Package width	8.8 mm
Replacement bulb power (max)	11.5 W	Package depth	5.5 mm
Bulb lifetime	25000 h	Package height	140 mm
Dimmable	✓	Package weight	115 g
Fixture dimmable	✓	Package net weight	60 g
International Protection (IP) code	IP20	Package gross weight	120 g
Protection class	II	Packaging content	
Software upgradeable	✓	Quantity per pack *	1 pc(s)
Instant full light	✓	AC adapter included	✓
Light distribution	Non-directional	Number of corner connector cables	1
Performance		Other features	
Mobile operating systems supported	Android, iOS	Operating relative humidity (H-H)	5 - 95%
Works with Amazon Alexa	✓	Operating temperature (T-T)	-20 - 45 °C
Works with the Google Assistant	✓	Diffused light effect	✗

Performance		Other features	
Works with Apple HomeKit	✓	Cut to size	✓
Works with IFTTT	✓	Extendable	✓
Power		Technical details	
Energy efficiency class	G	Material	Silicone
Energy consumption per 1000 hours	12.4 kWh	Net weight	53 g
Power source type	AC	EAN/UPC/GTIN (packaging)	8718699703448
		Warranty period	2 year(s)
		Logistics data	
		12NC Logistic code(s)	929002269201

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAY-2025. Prints or copies of Information are only valid on the printed Publication date