

Samsung SCX-6345NJ + JScribe Laser A4 1200 x 1200 DPI 41 ppm

Merk : Samsung

Artikelcode: SCX6345NJ

Productnaam : SCX-6345NJ + JScribe



SCX-6345NJ - 1200 x 1200 dpi, 41 ppm, A4, laser, fax, LCD, 256MB, USB 2.0, Ethernet + JScribe

[Samsung SCX-6345NJ + JScribe Laser A4 1200 x 1200 DPI 41 ppm:](#)

De SCX-6345N is een veelzijdige mono-multifunctional zwart-wit printer met scanner, fax en kopieerapparaat. Smart Thru software integreert alle functies en maakt ze bedienbaar via 1 paneel. Dit maakt de printer ideaal voor kantoor. Het apparaat kan 43 pagina's per minuut printen en heeft een maandelijks aanbevolen verbruik van 200.000 pagina's. Naast pure printkracht heeft dit apparaat ook een rappe faxmodem van 33,6 Kbps. Het model laat zich eenvoudig integreren in een netwerk via 10/100 Base-TX ethernetverbindingen en is ook prima als stand alone te gebruiken via USB 2.0. Samsung SCX-6345NJ + JScribe. Printtechnologie: Laser, Maximale resolutie: 1200 x 1200 DPI. Kopiëren: Zwart-wit kopiëren, Maximale kopieerresolutie: 600 x 600 DPI. Scannen: Scannen in kleur. Faxen: Zwart-wit faxen. Maximale ISO A-series papierformaat: A4

Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	✗	Paper tray media types *	Bond paper, Card stock, Envelopes, Recycled paper, Transparencies
Duplex printing *	✓	ISO A-series sizes (A0...A9) *	A4, A5, A6
Maximum resolution *	1200 x 1200 DPI	ISO B-series sizes (B0...B9)	B5
Print speed (black, normal quality, A4/US Letter) *	41 ppm	Non-ISO print media sizes	Folio, Statement
Warm-up time	35 s	JIS B-series sizes (B0...B9)	B5
Time to first page (black, normal)	8 s	Envelopes sizes	B5, C5, C6, DL
Copying		Ports & interfaces	
Copying *	Mono copying	Standard interfaces	USB 2.0
Maximum copy resolution *	600 x 600 DPI	USB port	✓
Copy speed (black, normal quality, A4)	43 cpm	USB 2.0 ports quantity	1
Maximum number of copies	999 copies	Network	
Copier resize	25 - 400%	Ethernet LAN *	✓
Scanning		Performance	
Scanning *	Colour scanning	Internal memory *	256 MB
Maximum scan resolution	4800 x 4800 DPI	Sound pressure level (printing)	60 dB
Scanner type *	Flatbed scanner	Sound power level (standby)	43 dB
Scan technology	CCD	Mac compatibility	✓
Scan to	FTP	Design	
Greyscale levels	256	Market positioning *	Business
Fax		Built-in display *	✓
Faxing *	Mono faxing	Display	LCD
Modem speed	33.6 Kbit/s	Power	
Fax memory	16 MB	Power consumption (average operating)	900 W
Fax speed dialing (max numbers)	200	Power consumption (PowerSave)	35 W
Fax speed (A4)	3 sec/page	Power consumption (standby)	170 W
Features		Operational conditions	
Maximum duty cycle *	200000 pages per month	Operating relative humidity (H-H)	20 - 80%
Digital sender	✗	Operating temperature (T-T)	10 - 32 °C
Input & output capacity		Weight & dimensions	
Total output capacity *	500 sheets	Weight	44.5 kg
Multi-Purpose tray	✓	Other features	
Multi-Purpose tray input capacity	100 sheets	Dimensions (WxDxH)	637.4 x 489 x 616 mm
Auto document feeder (ADF)	✓		

Input & output capacity		Other features	
Auto document feeder (ADF) input capacity	50 sheets	Network ready	✓
Maximum input capacity	520 sheets	Compatible operating systems	Windows 98/Me/NT4.0/2000/XP/2003 Linux OS (Red Hat 8-9, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2) Mac OS 8.6-9.2/10.1-10.4
		Emulations	PCL6, PostScript 3
		All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Scan, No

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-APR-2025. Prints or copies of Information are only valid on the printed Publication date