## Epson EB-450Wi 2500 ANSI lumens LCD WXGA (1280x800) Gray, White

Brand: Epson Article code: V11H317040ET

Product name: Epson EB-450Wi Easyteach+LW

EB-450Wi, 3LCD, WXGA, 2500lm

Epson EB-450Wi. Projector brightness: 2500 ANSI lumens, Projection technology: LCD, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 2500 h, Service life of light source (economic mode): 3500 h. Focus: Manual, Focal length range: 0 - 4.68 mm. Serial interface type: RS-232. Noise level: 35 dB, Country of origin: China





Projector		Multimedia	
Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Keystone correction, horizontal Keystone correction, vertical	1498.6 - 2463.8 mm (59 - 97") 2500 ANSI lumens LCD WXGA (1280x800) 2000:1 5° 5°	Built-in speaker(s) * RMS rated power Number of built-in speakers	✓ 10 W 1
		Design Product colour * Power	Grey, White
Light source Light source type *	Lamp	Power consumption (typical) * Power consumption (standby) *	338 W 9 W
Service life of light source * Service life of light source	2500 h 3500 h	<b>Operational conditions</b> Operating temperature (T-T)	0 - 35 °C
(economic mode)  Lamp type  Lamp power	UHE 230 W	Weight & dimensions Weight *	5.8 kg
Lens system  Focus *  Focal length range	Manual 0 - 4.68 mm	Package width Package depth Package height Package weight	580 mm 800 mm 340 mm 22.6 kg
Ports & interfaces		Packaging content	
S-Video inputs quantity USB 2.0 ports quantity	1	Remote control included *	×
Headphone outputs Serial interface type * VGA (D-Sub) ports quantity * Component video (YPbPr/YCbCr) in * DVI port *	2 RS-232 2 * 2	Quantity per pack Products per pallet Pallet gross length Pallet gross width	1 pc(s) 10 pc(s) 120 cm 80 cm
Network Ethernet LAN *	·	Products per pallet layer	185 cm 2 pc(s)
		Products per pallet layer (UK)	2 pc(s)

Network		Logistics data	
Ethernet LAN (RJ-45) ports	1	Products per pallet (UK)	10 pc(s)
Wi-Fi *	×	Pallet length (UK)	120 cm
Features		Pallet width (UK)	100 cm
Noise level *	35 dB	Pallet height (UK)	185 cm
Country of origin	China	Other features	
		Aspect ratio	16:10
		Dimensions (WxDxH)	369 x 481 x 115 mm
		Power requirements	100 - 240V, 50/60Hz
		Connectivity technology	Wired
		RS-232 ports	1

