Lenovo.

□ ThinkCentre A70z □ 0 0 1 48.3 cm (19") 1440 x 900 □ 4 GB DDR2-SDRAM 320 GB Intel® GMA X4500 Windows 7 Professional □

: Lenovo : ThinkCentre : VDAACIX

ThinkCentre A70z

Display		Ports & interfaces	
Display diagonal *	48.3 cm (19")	Serial ports quantity	1
Display resolution *	1440 x 900 pixels	Design	
HD type * Native aspect ratio	Not supported 16:10	Product colour *	Black
Processor	10.10	Performance	
Processor manufacturer *	Intel	Motherboard chipset	Intel® G41 Express
Processor family *	Intel® Core™2 Duo	Software	
Processor cores	2	Operating system installed *	Windows 7 Professional
Processor frequency * Processor cache	2.93 GHz 3 MB	Trial software	Microsoft Office Ready 2007 Norton Internet Security
Processor cache type	L2		Adobe Acrobat Reader Adobe Flash Player Creator Business Edition
Processor front side bus	1066 MHz		Intervideo WinDVD Online Data
Memory		D	Backup Product Recovery PC-Doctor Skype Sun JRE ThinkVantage
Internal memory * Internal memory type Maximum internal memory * Memory slots	4 GB DDR2-SDRAM 4 GB 2	Bundled software	Message Center Plus ThinkVantage Productivity Center ThinkVantage Power Manager ThinkVantage System Update ThinkVantage Toolbox
Memory clock speed	800 MHz	Power	
Memory layout (slots x size)	2 x 2 GB	Power consumption (typical)	130 W
Storage		Weight & dimensions	
Total storage capacity *	320 GB	Width (with stand)	356 mm
HDD speed HDD interface	7200 RPM SATA	Depth (with stand)	73 mm
Optical drive type *	DVD-RW	Height (with stand)	472 mm
Card reader integrated	×	Weight (with stand)	7.2 kg
Graphics		Operational conditions	
Discrete graphics card model *	Intel® GMA X4500	Operating temperature (T-T)	10 - 35 °C
On-board graphics card *	✓	Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 50 °C 10 - 80%
Audio		Packaging content	20 00/0
Built-in microphone	✓	Mouse included	✓
Camera		Keyboard included	·
Built-in camera *	✓	Remote control included	×
	•	Other features	··
Network		Graphics card family	Intel
Wi-Fi *	X	TV tuner integrated	X
Ethernet LAN *	✓ 10,100,1000 Mbit/s	Chassis type	All-in-One
Ethernet LAN data rates	10,100,1000 MUNA	Display	LCD
Ports & interfaces	1	Display included	✓
Ethernet LAN (RJ-45) ports USB 2.0 ports quantity *	1 6	Drive device, transfer rate	300 MB/s
VGA (D-Sub) ports quantity	1	Floppy drive installed	X
, , , , , , , , , , , , , , , , , , , ,		Networking features	Gigabit Ethernet

Ports & interfaces		Other features	
DVI port	×	Non-operating relative humidity	y 10 - 90%
Headphone outputs	1 (non-condensing)	(non-condensing) Speakers	
Microphone in	✓	Wake-on-LAN ready	2 ✓

