



DELL PowerEdge T360 16 GB DDR5-SDRAM 600 W (4.5U) Intel Xeon E E-2478 2.8 GHz 2 TB

DELL :

PowerEdge :

T360-FY25Q3 :

T360 :

DELL PowerEdge T360. Processor: Intel Xeon E, Frequency: 2.8 GHz, Model: E-2478. Memory: 16 GB, Type: DDR5-SDRAM. Storage: 2 TB, Format: 3.5", Interface: SATA III. Network: 10/100/1000Base-T(X). Power: 600 W, Type: Redundant Power Supply (RPS). Form Factor: 4.5U



Processor		Design	
Processor manufacturer *	Intel	Product colour	Black
Processor family *	Intel Xeon E	Performance	
Processor model *	E-2478	Remote administration	iDRAC9, Basic 16G
Processor frequency *	2.8 GHz	Software	
Processor boost frequency	5.2 GHz	Operating system installed *	✗
Performance cores	8	Compatible operating systems *	Canonical Ubuntu Server LTS
Processor cores	8		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux
Processor cache	24 MB		SUSE Linux Enterprise Server VMware ESXi
Number of processors installed	1	Power	
Thermal Design Power (TDP)	80 W	Redundant power supply (RPS) support *	✓
Processor threads	16	Power supply *	600 W
Memory types supported by processor	DDR5-SDRAM	Number of redundant power supplies supported	2
Memory		Number of redundant power supplies installed	2
Internal memory *	16 GB	Power supply input voltage	125 V
Internal memory type *	DDR5-SDRAM	Power cable length	3 m
Buffered memory type	Unregistered (unbuffered)	Power cable connector 1	C13 coupler
Memory slots	4x DIMM	Power cable current	15 A
ECC	✓	Operational conditions	
Memory data transfer rate	4800 MT/s	Storage temperature (T-T)	-40 - 65 °C
Maximum internal memory *	128 GB	Storage relative humidity (H-H)	5 - 95%
Storage		Operating altitude	0 - 2048 m
Total storage capacity *	2 TB	Non-operating altitude	0 - 12000 m
Number of HDDs installed	1		
HDD capacity	2 TB		
HDD interface	SATA III		

Storage		Carbon footprint	
HDD speed	7200 RPM	Total carbon footprint (kg of CO2e)	1409
HDD size	3.5"	Total carbon emissions, standard deviation (kg of CO2e)	1213
RAID support *	✓	Carbon emissions, manufacturing (kg of CO2e)	296
Supported RAID controllers	PERC H755	Carbon emissions, logistics (kg of CO2e)	155
Hot-Plug support	✓	Carbon emissions, energy usage (kg of CO2e)	930
Optical drive type *	✗	Carbon emissions, end-of-life (kg of CO2e)	28
Internal drive bays	8	Total carbon emissions, w/o use phase (kg of CO2e)	479
Network		PAIA version	1.4.0, 2024
LAN controller	Broadcom 5720, Intel I210, Intel® X722	Weight & dimensions	
Ethernet LAN	✓	Width	175 mm
Cabling technology	10/100/1000Base-T(X)	Depth	581.1 mm
Ethernet interface type	Gigabit Ethernet	Height	369.5 mm
Ports & interfaces		Technical details	
Ethernet LAN (RJ-45) ports *	2	Supported storage drives form factor (internal)	3.5"
USB 2.0 ports quantity	5	Other features	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Data transfer rate	6 Gbit/s
VGA (D-Sub) ports quantity	1	Bytes per sector	512n
Serial ports quantity	1		
Expansion slots			
PCI Express x4 slots	2		
Design			
Chassis type *	Tower (4.5U)		



0884116466369



884116466369

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-MAY-2025. Prints or copies of Information are only valid on the printed Publication date