SAMSUNG

Samsung SCX-6345NJ + JScribe []] A4 1200 x 1200 DPI 41 ppm

Samsung

CCX6345NJ

SCX-6345NJ + JScribe

Samsung SCX-6345NJ + JScribe. []]]: [], []]]]: 1200 x 1200 DPI. []/ []: []][], []][]]: 600 x 600 DPI. []: []]]: []]]. ISO A []]][]]: A4

| Printing | | Paper handling | |
|---|--|---|--|
| Print technology * | Laser | Maximum ISO A-series paper size * | A4 |
| Printing * | × | Paper tray media types * | Bond paper, Card stock, Envelopes, Recycled paper, Transparencies |
| Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Warm-up time Time to first page (black, normal) | 1200 x 1200 DPI 41 ppm 35 s 8 s | ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes | A4, A5, A6 B5 Folio, Statement B5 B5, C5, C6, DL |
| Copying | | Ports & interfaces | |
| Copying * Maximum copy resolution * Copy speed (black, normal quality, | Mono copying 600 x 600 DPI 43 cpm | Standard interfaces USB port USB 2.0 ports quantity | USB 2.0 ✓ 1 |
| A4) Mavimum number of conice | | Network | |
| Maximum number of copies Copier resize | 999 copies 25 - 400% | Ethernet LAN * | 1 |
| Scanning | | Performance | |
| Scanning * Maximum scan resolution Scanner type * Scan technology | Colour scanning 4800 x 4800 DPI Flatbed scanner CCD | Internal memory * Sound pressure level (printing) Sound power level (standby) Mac compatibility | 256 MB 60 dB 43 dB ✓ |
| Scan to | FTP | Design | |
| Greyscale levels | 256 | Market positioning * | Business |
| Fax | | Built-in display * | 1 |
| Faxing * Modem speed | Mono faxing 33.6 Kbit/s | Display | LCD |
| Fax memory | 16 MB | Power | |
| Fax speed dialing (max numbers) | 200 | Power consumption (average operating) | 900 W |
| Fax speed (A4) Features | 3 sec/page | Power consumption (PowerSave) Power consumption (standby) | 35 W 170 W |
| Maximum duty cycle * | 200000 pages per month | Operational conditions | 1,0 W |
| Digital sender | × | Operating relative humidity (H-H) | 20 - 80% |
| Input & output capacity | | Operating temperature (T-T) | 10 - 32 °C |
| Total output capacity * | 500 sheets | Weight & dimensions | |
| Multi-Purpose tray | 1 | Weight | 44.5 kg |
| Multi-Purpose tray input capacity | 100 sheets | Other features | |
| Auto document feeder (ADF) | 1 | Dimensions (WxDxH) | 637.4 x 489 x 616 mm |
| Auto document feeder (ADF) input capacity | 50 sheets | Network ready | ✓ |

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date

Input & output capacity

Maximum input capacity

520 sheets

Other features

Compatible operating systems

Emulations All-in-one functions Colour all-in-one functions Windows 98/Me/NT4.0/2000/XP/2003 Linux OS (Red Hat 8-9, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2) Mac OS 8.6-9.2/10.1-10.4

PCL6, PostScript 3 Copy, Fax, Scan

Scan, No

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.